



Santa Rosa Urban Reuse Project – Project Selection

City Council

December 18, 2007



Approval Process

- Dec 4 – Council unanimously approved motion preliminarily approving Phase 1 West as proposed by Board
- Dec 6 – Board formally approved Phase 1 West and recommended approval by Council



2



Document Availability

- E-mail notice to public Oct 26
- ¼-page ad in PD on Nov 9
- Predesign Study Tech Memos – Nov 15
 - CD and hard copies
 - www.SRCity.org/UrbanReuse
 - Purchase hard copy – ARC, 579-9096
- CEQA Checklist – Nov 20
 - Hard copies to Board and Council (Nov 30)
 - www.SRCity.org/UrbanReuse
 - Purchase hard copy – ARC, 579-9096
 - Libraries




3



1,000 MGY Project + Phase I West

Phase 1 West - \$36.7 million
Full Project - \$153 million




RWQP MASTER PLAN
100 Years of Water

Phase 1 West Implementation Milestones

Implementation Step	2008	2009	2010	2011	2012	2013
Condition Development	[Blue bar]					
Customer Relations/Sign-up	[Blue bar]					
Operations Staffing	[Blue bar]					
Pilot Project Design	[Blue bar]					
Pilot Project Construction		[Blue bar]				
Design next segments		[Blue bar]				
Construct next segments			[Blue bar]			


RWQCB Address
Incidental Runoff



RWQP MASTER PLAN
100 Years of Water

CEQA Documentation

- Phase 1 is less extensive than that evaluated in the IRWP Program EIR
 - Program EIR evaluated 2,200 MG
 - Phase 1 is 250 MG
- Evaluation of Phase 1
 - No new significant impacts
 - No substantially more severe impacts
 - No new mitigation measures required
 - Within the scope of the Program EIR
- CEQA Checklist is the appropriate document
 - Includes extensive runoff control measures as part of the Project (see page 3-31 thru 3-36)





CEQA Documentation for Changes to Project

- Changes during design and construction may require CEQA documentation
- Delegation of authority to Utilities Director to approve CEQA documentation and Project changes
- No change to design or construction contracting approach



7




Response to Comments on CEQA Checklist

- Incidental runoff impacts and TMDL compliance evaluated in Section 4.4, Appendix B
- Pharmaceutical & Personal Care Products
 - Program EIR Appendices
 - I-1 – Human Health Risk Assessment
 - I-2 – Endocrine Disrupting Compounds
 - J-7 – Ecological Risk Assessment
 - 5-page list of studies used as basis for impacts assessment
 - Project CEQA Checklist
 - pages 4.7-9 to 11 – effects on human health
 - page 4.8-13 – effects on aquatic organisms
 - Appendix B – regulatory status
- Regional Water Board Resolution
 - page 4.6-1
 - Summer discharge prohibition repeal not requested or needed




8



IRWP Documents Available for Public Review

IRWP Project	Engineering Report	CEQA Document
Geysers Expansion Project	None	July 27
Santa Rosa Urban Recycled Water Ordinance and Policies	None	Aug 22
Santa Rosa Urban Reuse Project - Phase 1	Nov 15	Nov 20
Discharge Compliance Project	Nov 21	Early 2008
Seasonal Storage Project	Dec 7	Early 2008



- 
- ## Resolution
- Approve Phase 1 West
 - Direct construction not begin until after RWQCB addresses Basin Plan
 - Request staff communicate City's position to RWQCB
 - Make CEQA Findings of Fact
 - Adopt Statement of Overriding Considerations
 - Adopt Mitigation Monitoring Program
 - Request staff initiate Pilot Project design
 - Authorize Utilities Director to approve changes to CEQA documents and Phase 1 West
- 